

MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD.
 Co. No.200001012320 (514926-V)
 Website: www.merieuxnutrisciences.com/my/
 Email: enquiry.my@mxns.com

Northern Region | **SMM 253** | Plot No. 256, Tingkat Perusahaan 5, Kawasan Perindustrian Perai 2, 13600 Perai, Pulau Pinang.
 (ELEVATE @ GRAVITAS) B2-03-23, Lorong Pauh Jaya 1/3, Taman Pauh Jaya, 13500 Permatang Pauh, Pulau Pinang.
 Central Region | **SMM 541** | Wisma Texchem Lot 808 & 809, Jalan Subang 5, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor.
 Southern Region | 6 & 6A, Jalan Tampoi 7/4, Kawasan Perusahaan Jalan Tampoi, 81200 Johor Bharu, Johor.

CERTIFICATE OF ANALYSIS

CSC STEEL SDN BHD
 180 KAWASAN INDUSTRI AYER
 KEROH

75450 AYEH KEROH
 MELAKA

Tel : - Fax : -

Attn : Ms Chee

Test Facility : SMM 253
 Sample Category : Industrial Product
 Sample Description : 1 Piece(s) of Solid
 Receiving Mode : Courier
 Arrival Temperature, °C : 27.2
 Sample Condition : Good
 Sample Marking : COLD ROLLED STEEL SAMPLE
 SAMPLE ID: KD5157

Certificate No : PSA23071186101-1
 Sample Received Date : 21-Jul-2023
 Analysis Start Date : 24-Jul-2023
 Analysis Completion Date : 01-Aug-2023
 Certificate Date : 01-Aug-2023

Analysis Results :

PARAMETER	ANALYSIS RESULT	UNIT	STANDARD METHOD / TECHNIQUE / EQUIPMENT USED
Cadmium (Cd)	ND(<2)	mg/kg	IEC 62321, Edition 1, 2008 (Chapter 10)
Lead (Pb)	ND(<2)	mg/kg	IEC 62321, Edition 1, 2008 (Chapter 10)
* Mercury (Hg)	ND(<2)	mg/kg	In-house method LWI-TEC-C066 based on IEC 62321, Edition 1, 2013
Chromium Hexavalent (Cr6+)	ND(<2)	mg/kg	IEC 62321, Edition 1, 2008 (Annex C)



TEEM CHIN MEAN
 Assistant General Manager
 M.Sc.,MMIC: M/2152/4620/04

* denotes Not Accredited

¹ denotes Externally Provided and Accredited

² denotes Externally Provided and not Accredited

For Chemistry testing : **ND** denotes **not detected** (< **Numeric number**) denotes below limit of quantification

For Microbiological testing : (< **Numeric number**) denotes **Not Detected** and below limit of detection

Merieux NutriSciences Malaysia Sdn. Bhd. will not take any responsibility to ensure the accuracy and authenticity of the information provided by the customer. This report shall not be reproduced except in full, without written approval of MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD. The report refers only to sample(s) received and tested, and shall under no circumstances remain valid or subject to verification or revision beyond 1 year after the date issued. The results do not necessarily reflect the opinion or position of MERIEUX NUTRISCIENCES. Opinions and interpretations expressed herein are outside scope of SAMM accreditation. All information in this report will be kept confidential from other parties and subjected to the Terms and Conditions of service which are available and accessible at

MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD.
 Co. No.200001012320 (514926-V)
 Website: www.merieuxnutrisciences.com/my/
 Email: enquiry.my@mxns.com

Northern Region | **SMM 253** | Plot No. 256, Tingkat Perusahaan 5, Kawasan Perindustrian Perai 2, 13600 Perai, Pulau Pinang.
 (ELEVATE @ GRAVITAS) B2-03-23, Lorong Pauh Jaya 1/3, Taman Pauh Jaya, 13500 Permatang Pauh, Pulau Pinang.
 Central Region | **SMM 541** | Wisma Texchem Lot 808 & 809, Jalan Subang 5, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor.
 Southern Region | 6 & 6A, Jalan Tampoi 7/4, Kawasan Perusahaan Jalan Tampoi, 81200 Johor Bharu, Johor.

CERTIFICATE OF ANALYSIS

CSC STEEL SDN BHD

Certificate No : PSA23071186I01-1

PARAMETER	ANALYSIS RESULT	UNIT	STANDARD METHOD / TECHNIQUE / EQUIPMENT USED
* Sum of Polybrominated Biphenyl (PBB)	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Sum of Polybrominated Diphenyl Ether (PBDE)	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Decabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Decabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Dibromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Dibromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Heptabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Heptabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Hexabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008



TEEM CHIN MEAN
 Assistant General Manager
 M.Sc.,MMIC: M/2152/4620/04

* denotes Not Accredited

¹ denotes Externally Provided and Accredited

² denotes Externally Provided and not Accredited

For Chemistry testing : **ND** denotes **not detected (< Numeric number)** denotes below limit of quantification

For Microbiological testing : (< **Numeric number**) denotes **Not Detected** and below limit of detection

Merieux NutriSciences Malaysia Sdn. Bhd. will not take any responsibility to ensure the accuracy and authenticity of the information provided by the customer. This report shall not be reproduced except in full, without written approval of MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD. The report refers only to sample(s) received and tested, and shall under no circumstances remain valid or subject to verification or revision beyond 1 year after the date issued. The results do not necessarily reflect the opinion or position of MERIEUX NUTRISCIENCES. Opinions and interpretations expressed herein are outside scope of SAMM accreditation. All information in this report will be kept confidential from other parties and subjected to the Terms and Conditions of service which are available and accessible at

CERTIFICATE OF ANALYSIS

CSC STEEL SDN BHD

Certificate No : PSA23071186I01-1

PARAMETER	ANALYSIS RESULT	UNIT	STANDARD METHOD / TECHNIQUE / EQUIPMENT USED
* Hexabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Monobromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Monobromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Nonabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Nonabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Octabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Octabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Pentabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Pentabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008



TEEM CHIN MEAN
Assistant General Manager
M.Sc.,MMIC: M/2152/4620/04

* denotes Not Accredited

¹ denotes Externally Provided and Accredited

² denotes Externally Provided and not Accredited

For Chemistry testing : **ND** denotes **not detected (< Numeric number)** denotes below limit of quantification

For Microbiological testing : (< **Numeric number**) denotes **Not Detected** and below limit of detection

Merieux NutriSciences Malaysia Sdn. Bhd. will not take any responsibility to ensure the accuracy and authenticity of the information provided by the customer. This report shall not be reproduced except in full, without written approval of MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD. The report refers only to sample(s) received and tested, and shall under no circumstances remain valid or subject to verification or revision beyond 1 year after the date issued. The results do not necessarily reflect the opinion or position of MERIEUX NUTRISCIENCES. Opinions and interpretations expressed herein are outside scope of SAMM accreditation. All information in this report will be kept confidential from other parties and subjected to the Terms and Conditions of service which are available and accessible at

MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD.
 Co. No.200001012320 (514926-V)
 Website: www.merieuxnutrisciences.com/my/
 Email: enquiry.my@mxns.com

Northern Region | **SAMP 253** | Plot No. 256, Tingkat Perusahaan 5, Kawasan Perindustrian Perai 2, 13600 Perai, Pulau Pinang.
 (ELEVATE @ GRAVITAS) B2-03-23, Lorong Pauh Jaya 1/3, Taman Pauh Jaya, 13500 Permatang Pauh, Pulau Pinang.
 Central Region | **SAMP 541** | Wisma Texchem Lot 808 & 809, Jalan Subang 5, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor.
 Southern Region | 6 & 6A, Jalan Tampoi 7/4, Kawasan Perusahaan Jalan Tampoi, 81200 Johor Bharu, Johor.

CERTIFICATE OF ANALYSIS

CSC STEEL SDN BHD

Certificate No : PSA23071186101-1

PARAMETER	ANALYSIS RESULT	UNIT	STANDARD METHOD / TECHNIQUE / EQUIPMENT USED
* Tetrabromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Tetrabromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Tribromobiphenyl	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Tribromodiphenyl ether	ND(<20)	mg/kg	In-House Method LWI-TEC-C002 Based on IEC 62321, Edition 1, 2008
* Diisobutyl phthalate	ND(<10)	mg/kg	In-House Method LWI-TEC-C006 Based on USEPA 3540 C and 8270 D
* Butyl benzyl phthalate	ND(<10)	mg/kg	In-House Method LWI-TEC-C006 Based on USEPA 3540 C and 8270 D
* Dibutyl phthalate	ND(<10)	mg/kg	In-House Method LWI-TEC-C006 Based on USEPA 3540 C and 8270 D
* Diethylhexyl phthalate	ND(<10)	mg/kg	In-House Method LWI-TEC-C006 Based on USEPA 3540 C and 8270 D

Remarks : RoSH test - RoHS Directive 2011/65/EU and (EU) 2015/863 (amendment in Annex II).

mg/kg = ppm

Remarks : Amendment to the Certificate No. PSA23071186101-0: Sample marking modified at the request of customer.

****End of CoA****



TEEM CHIN MEAN
 Assistant General Manager
 M.Sc.,MMIC: M/2152/4620/04

* denotes Not Accredited

¹ denotes Externally Provided and Accredited

² denotes Externally Provided and not Accredited

For Chemistry testing : **ND** denotes **not detected** (< **Numeric number**) denotes below limit of quantification

For Microbiological testing : (< **Numeric number**) denotes **Not Detected** and below limit of detection

Merieux NutriSciences Malaysia Sdn. Bhd. will not take any responsibility to ensure the accuracy and authenticity of the information provided by the customer. This report shall not be reproduced except in full, without written approval of MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD. The report refers only to sample(s) received and tested, and shall under no circumstances remain valid or subject to verification or revision beyond 1 year after the date issued. The results do not necessarily reflect the opinion or position of MERIEUX NUTRISCIENCES. Opinions and interpretations expressed herein are outside scope of SAMP accreditation. All information in this report will be kept confidential from other parties and subjected to the Terms and Conditions of service which are available and accessible at

MERIEUX NUTRISCIENCES MALAYSIA SDN. BHD.

Co. No.200001012320 (514926-V)
Website: www.merieuxnutrisciences.com/my/
Email: enquiry.my@mxns.com

Northern Region | **SMM 253** | Plot No. 256, Tingkat Perusahaan 5, Kawasan Perindustrian Perai 2, 13600 Perai, Pulau Pinang.
Central Region | (ELEVATE @ GRAVITAS) B2-03-23, Lorong Pauh Jaya 1/3, Taman Pauh Jaya, 13500 Permatang Pauh, Pulau Pinang.
Southern Region | **SMM 541** | Wisma Texchem Lot 808 & 809, Jalan Subang 5, Taman Perindustrian Subang, 47610 Subang Jaya, Selangor.
6 & 6A, Jalan Tampoi 7/4, Kawasan Perusahaan Jalan Tampoi, 81200 Johor Bharu, Johor.

CERTIFICATE OF ANALYSIS

CSC STEEL SDN BHD

Certificate No

: PSA23071186101-1



TEEM CHIN MEAN
Assistant General Manager
M.Sc.,MMIC: M/2152/4620/04